Solid State Ionics 26 (1988) 319–322
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 26

Almond, D.P. and A.R. West, Ultrasonic attenuation studies of solid electrolytes 26 (1988) 265
Asai, T., C.-H. Hu and S. Kawai, Effect of the surface properties of alumina on the composite electrolyte of lithium iodide and alumina 26 (1988) 1

Bamberg, J. and H. Schmitt, Ultrasonic measurements on molybdenum bronze ceramic 26 (1988) 303
Bandaranayake, P.W.S.K. and B.-E. Mellander, Electrical conductivity and phase diagram of the Na_4SO_4–$CaSO_4$ system 26 (1988) 33
Barbi, G.B. and C.M. Mari, High temperature water electrolysis: The cathodic process at the cermet $(Pt+La_{0.8}Sr_{0.2}CrO_3)$/zirconia interface 26 (1988) 243
Barth, S., A. Feltz and C. Jäger, Structure and ionic conduction in solids: VI. Evidence for the non-existence of $Na_4ZrSi_3O_{10}$ as a definite crystalline phase 26 (1988) 189
Bhat, V. and J. Gopalakrishnan, $HNbWO_6$ and $HTaWO_6$: Novel layered oxides related to the rutile structure. Synthesis and investigation of ion-exchange and intercalation behaviour 26 (1988) 25
Brophy, J.J., see C.K. Kuo 26 (1988) 37

Cao, G., H. Lee, V.M. Lynch and T.E. Mallouk, Structural studies of some new lamellar magnesium, manganese and calcium phosphonates 26 (1988) 63
Carrado, K.A., A. Kostapapas and S.L. Suib, Layered double hydroxides (LDHs) 26 (1988) 77
Casciola, M., U. Costantino, L. Merlini, I.G. Krogh Andersen and E. Krog Andersen, Preparation, structural characterization and conductivity of $LiZr_2(PO_4)_3$ 26 (1988) 229
Chu, Y.T., The constant phase angle impedance of the finite Sierpinski electrode 26 (1988) 299
Costantino, U., see M. Casciola 26 (1988) 229

Day, V.W., see A.R. Siedle 26 (1988) 109
Dissado, L.A., see R.M. Hill 26 (1988) 295

Eftaxias, K., see C. Varotsos 26 (1988) 11

Feltz, A., see S. Barth 26 (1988) 189
Fernandez Diniz, J.M.B., see C.A.C. Sequeira 26 (1988) 197
Fu, D.-C., see I. Søtofte 26 (1988) 307

Glaunsinger, W.S., see G.W. O'Bannon 26 (1988) 15
Glaunsinger, W.S., see V.G. Young Jr. 26 (1988) 47
Gleason, W.B., see A.R. Siedle 26 (1988) 109
Goodenough, J.B., see A.K. Shukla 26 (1988) 5
Goodenough, J.B., Acrolein oxidation over 12-molybdophosphates 26 (1988) 87
Gopalakrishnan, J., see V. Bhat 26 (1988) 25

Hadjicontis, V., see C. Varotsos 26 (1988) 11

Halstead, T.K., see K. Metcalfe 26 (1988) 209
Hill, R.M. and L.A. Dissado, Constant phase angle response with fractal electrodes 26 (1988) 295
Hodgson, K.O., see A.R. Siedle 26 (1988) 109
Hu, C.-H., see T. Asai 26 (1988) 1

Iguchi, Y., see S. Yamaguchi 26 (1988) 183
Imai, A., see S. Yamaguchi 26 (1988) 183

Jäger, C., see S. Barth 26 (1988) 189
Jiang, H.J., see W.M.H. Sachtler 26 (1988) 71
Jin, Y. and M. Rosso, A simple measure of the ionic diffusion coefficient in the mixed conductor Cu_3VS_4 26 (1988) 237
Joseph, J.P., see C.A.C. Sequeira 26 (1988) 197

Kanazawa, T., see K. Yamashita 26 (1988) 279
Kawai, S., see T. Asai 26 (1988) 1
Kimura, K., see S. Yamaguchi 26 (1988) 183
Kostapapas, A., see K.A. Carrado 26 (1988) 77
Krog Andersen, E., see M. Casciola 26 (1988) 229
Krogh Andersen, I.G., see M. Casciola 26 (1988) 229
Kuo, C.K. and J.J. Brophy, Contact and current noise in β-alumina and NASICON ceramics 26 (1988) 37

Lee, H., see G. Cao 26 (1988) 63
Lynch, V.M., see G. Cao 26 (1988) 63

Mallouk, T.E., see G. Cao 26 (1988) 63
Malone, H., see J.M. Newsam 26 (1988) 125
Manoharan, R., see A.K. Shukla 26 (1988) 5
Mari, C.M., see G.B. Barbi 26 (1988) 243
Marzke, R.F., see G.W. O'Bannon 26 (1988) 15
Mathews, C.K., see G. Periaswami 26 (1988) 311
McKelvy, M.J., see V.G. Young Jr. 26 (1988) 47
McMonagle, J.B., see J.B. Moffat 26 (1988) 101
Melchior, M.T., see J.M. Newsam 26 (1988) 125
Mellander, B.-E., see P.W.S.K. Bandaranayake 26 (1988) 33
Merlini, L., see M. Casciola 26 (1988) 229
Metcalfe, K., T.K. Halstead and R.C.T. Slade, NMR studies of hydrogen diffusion in hydrogen uranyl phosphate tetrahydrate (HUP) 26 (1988) 209
Modica, G., see E. Montoneri 26 (1988) 203
Moffat, J.B., J.B. McMonagle and D. Taylor, Microporous heteropoly oxometalate heterogeneous catalysts 26 (1988) 101
Moini, A. and T.J. Pinnavaia, A new strategy for the synthesis of pillared clays with super galleries: Direct intercalation of metal oxide sols (DIMOS) 26 (1988) 119
Montoneri, E., G. Modica and G.C. Pappalardo, High temperature proton conductors. Note III. Solid state conductivity of mixtures of calcium phosphates at 200–400°C under steam pressure 26 (1988) 203
Munshi, M.Z.A. and B.B. Owens, Performance of polymer electrolyte cells at +25 to +100°C 26 (1988) 41

Newmark, R.A., see A.R. Siedle 26 (1988) 109
Newsam, J.M., M.T. Melchior and H. Malone, Full profile analysis of the ^{29}Si NMR spectra of LTL-framework zeolites 26 (1988) 125
Nicholson, P.S., see A. Tan 26 (1988) 217

O'Bannon, G.W., W.S. Glaunsinger and R.F. Marzke, Molecular motional and structural study of ammoniated titanium disulfide by proton NMR 26 (1988) 15
Okura, S., see K. Yamashita 26 (1988) 279
Owens, B.B., see M.Z.A. Munshi 26 (1988) 41

Pappalardo, G.C., see E. Montoneri 26 (1988) 203
Periaswami, G., S. Vana Varamban, S. Rajan Babu and C.K. Mathews, Low-temperature zirconia oxygen gauges based on RuO_2 electrode 26 (1988) 311
Pinnavaia, T.J., see A. Moini 26 (1988) 119

Rajan Babu, S., see G. Periaswami 26 (1988) 311
Roe, A.L., see A.R. Siedle 26 (1988) 109
Rosso, M., see Y. Jin 26 (1988) 237

Sachtler, W.M.H., M.S. Tzou and H.J. Jiang, Genesis and characterization of transition metal clusters in Y zeolites 26 (1988) 71
Schmitt, H., see J. Bamberg 26 (1988) 303
Sequeira, C.A.C., J.P. Joseph and J.M.B. Fernandez Diniz, Some physical properties of the TiO_2 semiconductor electrode 26 (1988) 197
Shukla, A.K., R. Manoharan and J.B. Goodenough, Enhancement of ionic conductivity by dispersed oxide inclusions: influence of oxide isoelectric point and cation size 26 (1988) 5
Siedle, A.R., R.A. Newmark, W.B. Gleason, R.P. Skarjune, K.O. Hodgson, A.L. Roe and V.W. Day, Rhodium and iridium oxometallates – a new class of solid microporous materials 26 (1988) 109
Skarjune, R.P., see A.R. Siedle 26 (1988) 109
Slade, R.C.T., see K. Metcalfe 26 (1988) 209
Slade, R.C.T. and I.M. Thompson, Influence of surface area and particle size of dispersed oxide on conductivities of lithium bromide composite electrolytes 26 (1988) 287
Søtofte, I. and D.-C. Fu, Redetermination of the crystal structure of $Na_3Sc_2(PO_4)_3$ 26 (1988) 307
Stacy, A.M., see H.-C. zur Loye 26 (1988) 133
Staley, R.H., see H.-C. zur Loye 26 (1988) 133
Suib, S.L., see K.A. Carrado 26 (1988) 77

Tan, A. and P.S. Nicholson, The development of stress during Na-K-ion exchange of polycrystalline β, β″-Al_2O_3 and its influence on the ion-exchange process 26 (1988) 217
Tange, M., see S. Yamaguchi 26 (1988) 183
Taylor, D., see J.B. Moffat 26 (1988) 101
Thompson, I.M., see R.C.T. Slade 26 (1988) 287
Tzou, M.S., see W.M.H. Sachtler 26 (1988) 71

Umegaki, T., see K. Yamashita 26 (1988) 279

Vana Varamban, S., see G. Periaswami 26 (1988) 311
Varotsos, C., V. Hadjicontis and K. Eftaxias, Interconnection of individual vacancy formation and pinning thermodynamic parameters in KCl 26 (1988) 11
Von Dreele, R.B., see V.G. Young Jr. 26 (1988) 47

West, A.R., see D.P. Almond 26 (1988) 265

Yamaguchi, S., K. Kimura, M. Tange, Y. Iguchi and A. Imai, Ionic conduction in Sr hexaaluminate with β-alumina structure 26 (1988) 183
Yamashita, K., S. Okura, T. Umegaki and T. Kanazawa, Synthesis and ionic conduction of C_3A-type NASICON $Na_{3+3x-y}Y_{1-x}Si_{3-y}P_yO_9$ 26 (1988) 279
Young Jr., V.G., M.J. McKelvy, W.S. Glaunsinger and R.B. Von Dreele, A structural investigation of $(ND_4^+)_{0.22}(ND_3)_{0.34}TiS_2^{0.22-}$ by time-of-flight neutron powder diffraction 26 (1988) 47

Zur Loye, H.-C., A.M. Stacy and R.H. Staley, Effect of the method of preparation on the interaction between Ni and TiO_2 26 (1988) 133

Solid State Ionics 26 (1988) 323–324
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 26

ac impedance, 295
Alkylamine, 25
Alumina, 1
Aluminosilicate, 125
Ammonia, 15
Anatase, 133
Annealing effect, 189

BET, 101, 119
Battery, 41
β-alumina, 37, 183, 217
β″-alumina, 217
Bronze, 303

Calcium phosphates, 203
Calcium phosphonates, 63
Catalysis, 109, 133
Catalyst, 71, 77, 87, 101
Cermet cathode, 243
Clay, 77, 119
Composite electrolyte, 1, 5, 287
Copper diffusion, 237

Defects, 11
Dislocations, 11
Divalent cations, 183

Entropy, 11
EXAFS, 109

Fractal analysis, 295, 299

Hexa-aluminate, 183
Hopping frequencies, 265
Hydrogen diffusion, 209
Hydroxide, 77

Impedance, 299
Intercalation, 15, 25, 47, 119, 303
Ion exchange, 25, 133, 217
Ionic conductivity, 183
  lithium, 229, 287
  proton, 203
  sodium, 279
Ion transport, 265
Isoelectric point, 5

Keggin ion, 87, 109

Lead fluoride, 5
Lithium iodide, 1

Metal dispersion, 71
Mixed conductivity, 237
Molybdenum oxide, 303

NASICON, 37, 189, 279
NMR, 15, 125, 189, 209
Neutron diffraction, 47
Noise, 37

Oxidation, 87
Oxygen gauge, 311
Oxygen pumping, 197

Passivation, 197
Phase diagram, 189
  sodium sulfate, 33
Phosphate, 307
Phosphomolybdate, 87
Phosphotungstate, 101, 109
Pillared structure, 77
Polyethylene oxide, 41
Porous electrodes, 295

Reaction stresses, 217
Relaxation peaks, 265
Rutile, 25

Schottky formation
  elastic properties, 11
  enthalphy, 11
Silicotungstate, 109
Sodalite, 71
Sodium scandium phosphate, 307
Sol, 119
Surface area, 287

Theory, 209, 299
Thermal analysis, 63, 229
Titanium dioxide, 133, 197
Titanium disulfide, 15, 47
Transference number, 279
Tungsten oxide, 25

Ultrasonic attenuation, 265, 303
Uranyl phosphate, 209

Vanadium oxide, 41

Water
  effects, 203
  electrolysis, 243

X-ray, 307
  analysis, 229
  structure, 63

Zeolite, 71, 125
Zirconia electrolyte, 243, 311
Zirconium phosphate, 229